

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1-17. (Cancelled).

18. (Currently Amended) A method of cutting, comprising:

slicing into tissue with a helical knife to draw tissue proximally toward a sharp cutting ~~portion~~edge, the helical knife having a slicing edge extending through an opening at least partially bounded by the sharp cutting ~~portion~~edge; and
cutting the tissue with the sharp cutting ~~portion~~edge.

19. (Original) The method of claim 18, wherein cutting the tissue comprises cutting the tissue into discrete pieces.

20. (Currently Amended) The method of claim 18, further comprising providing the helical knife on an inner member and the sharp cutting ~~portion~~edge on an outer member.

21. (Original) The method of claim 20, further comprising transporting the cut tissue along a helical channel defined by the helical knife.

22. (Original) The method of claim 21, further comprising aspirating the cut tissue through a hollow interior in the inner member.

23. (Original) The method of claim 22 wherein aspirating the cut tissue comprises aspirating the cut tissue through an opening in a wall of the inner member.

24. (Original) The method of claim 20, further comprising aspirating fluid through an opening in the outer member.

25. (Currently Amended) A cutting instrument, comprising:
an outer member having an opening at least partially bounded by a sharp cutting edge;
and

a helical knife coupled to the outer member for rotation relative to the outer member, the helical knife having an edge configured to slice into tissue, the edge of the helical knife extending through the opening such that, during use, the edge slices into tissue to draw the tissue proximally along the helical knife towards the sharp cutting edge.

26. (Previously presented) The instrument of claim 25 wherein the edge of the helical knife extends distally through the opening.

27. (Currently Amended) The instrument of claim 25 wherein the sharp cutting edge and the edge of the helical knife are configured to cut tissue therebetween by a shearing action.

28. (Currently Amended) The instrument of claim 25, further comprising:
an inner member received within the outer member, the helical knife being located at a distal ~~end~~ portion of the inner member.

29. (Currently Amended) The instrument of claim 28 wherein the inner member defines an aspiration opening, the aspiration opening being located at a proximal ~~end~~ portion of the helical knife.

30. (Currently Amended) The instrument of claim 25 wherein the edge of the helical knife comprises a helical edge and the helical knife includes a helical channel.

31. (Previously presented) The instrument of claim 30 wherein the helical channel has a proximal end, a distal end, and a pitch, the pitch of the helical channel increasing from the distal end to the proximal end.

32. (Currently Amended) The instrument of claim 30 wherein a proximal end of the helical channel terminates in an opening through a wall of the inner member.

33. (Previously presented) The instrument of claim 25 wherein the outer member defines a fluid ingress opening through a wall of the outer member in a distal region of the outer member.

34. (Currently Amended) The instrument of claim 25 wherein the sharp cutting edge is located at a distal end of the outer member.

35. (Currently Amended) The instrument of claim 25 wherein the outer member tapers to the sharp cutting edge.

36. (Currently Amended) The instrument of claim 25 wherein the sharp cutting edge comprises a circumferential cutting edge.

37. (Currently Amended) The instrument of claim 36 wherein the sharp cutting edge is circular in shape.

38. (Currently Amended) The instrument of claim 25 wherein the sharp cutting edge is part-circumferential.

39. (Currently Amended) The instrument of claim 38 wherein the sharp cutting edge is circular in shape.

40. (Currently Amended) The instrument of claim 38 wherein the sharp cutting edge is oblong in shape.

41. (Currently Amended) The instrument of claim 25 wherein the outer member includes a shield portion extending distally from the sharp cutting edge.

42. (Previously Presented) A cutting instrument, comprising:
an outer member having an opening at least partially bounded by a cutting edge; and
an inner member received in the outer member for rotation relative to the outer member, the inner member including a shaft having a helical knife with a V-shaped cross section defining a sharp, slicing edge.

43. (Currently Amended) The instrument of claim 42, wherein the helical knife is located at a distal ~~end~~ portion of the inner member.

44. (Previously Presented) The instrument of claim 42 wherein a clearance between the inner member and the outer member is in the range of about 0.0005 to 0.002 inches.

45. (Currently Amended) The instrument of claim 42 wherein the inner member defines an aspiration opening, the aspiration opening being located at a proximal ~~end~~ portion of the helical knife.

46. (Previously Presented) The instrument of claim 42 wherein the helical knife includes a helical channel.

47. (Previously Presented) The instrument of claim 46 wherein the helical channel has a proximal end, a distal end, and a pitch, the pitch of the helical channel increasing from the distal end to the proximal end.

48. (Currently Amended) The instrument of claim 46 wherein a proximal end of the helical channel terminates in an opening through a wall of the inner member.

49. (Previously Presented) The instrument of claim 42, further comprising a hub coupling the inner member to the outer member.

50. (Previously Presented) The instrument of claim 42 wherein the outer member defines a fluid ingress opening through a wall of the outer member in a distal region of the outer member.

51. (Currently Amended) The instrument of claim 42 wherein the cutting edge is located at a distal ~~end~~ portion of the outer member.

52. (Previously Presented) The instrument of claim 42 wherein the outer member tapers to the cutting edge.

53. (Previously Presented) The instrument of claim 42 wherein the cutting edge comprises a circumferential cutting edge.

54. (Previously Presented) The instrument of claim 53 wherein the cutting edge is circular in shape.

55. (Previously Presented) The instrument of claim 42 wherein the cutting edge is part-circumferential.

56. (Previously Presented) The instrument of claim 55 wherein the cutting edge is circular in shape.

57. (Previously Presented) The instrument of claim 55 wherein the cutting edge is oblong in shape.

58. (Previously Presented) The instrument of claim 42 wherein the outer member includes a shield portion extending distally from the cutting edge.

59. (Currently Amended) A cutting instrument comprising:
an outer member having an opening at least partially bounded by a sharp cutting edge;
and
a helical knife coupled to the outer member for rotation relative to the outer member, the helical knife configured to slice into tissue, to draw the sliced tissue into the opening, and to shear the sliced tissue that has been drawn into the opening between the helical knife and the sharp cutting edge.

60. (Currently Amended) A method of cutting comprising:
slicing into tissue with a helical knife that extends through an opening of an outer member, the opening at least partially bounded by a sharp cutting edge;
followed by rotating the helical knife to draw the tissue toward the ~~opening~~sharp cutting
edge;
followed by shearing the tissue between the helical knife and the sharp cutting edge.